

ACL Targeting Drill & Implant Preparation Cases


ACL Reconstruction






Welcome to the Zimmer Biomet one stop shop ACL Reconstruction instrument system!

The Targeting Drill Case was designed to meet the modern demands of tunnel preparation for an ACL Reconstruction. The versatility of this system will allow the ability for a personalized case depending on surgeon tunnel preference. In addition to the Targeting Drill Case, there are four instrument caddies that contain reusable guides or reamers that a surgeon may need to prepare a tunnel utilizing either the transtibial approach, medial portal approach, or outside-in approach. The beauty of the case/caddy design is the ability to interchange the four caddies depending upon facility or surgeon desire for preparing the femoral or tibial tunnel for an ACL Reconstruction.




Targeting Drill Case



Components of the Targeting Drill Case

| Label | Description | Part Number |
|-------|-----------------------------|-------------|
| _ | Targeting Drill Case | 110016869 |
| Α | Coronal Alignment Pin | 909507 |
| В | ZipLoop [™] Puller | 904776 |
| С | Depth Gauge-Precision | 110009768 |
| D | Dilator Handle | 907765 |
| Е | Anatomy Specific Guide | 909601 |
| F | Anatomy Specific Bullet | 909602 |
| G | Point & Shoot Bullet | 909512 |
| Н | Point & Shoot Tibial Guide | 909511 |
| | Point to Point Arm | 110010399 |
| | Point to Hole Arm | 110010400 |



Components of the Targeting Drill Case (cont.)


| Label | Description | Size | Part Number |
|---------------|------------------|---------|--------------------|
| Small Drills | | | |
| I | Cannulated Drill | 5.0 mm | 909907* |
| | Cannulated Drill | 5.5 mm | 909908* |
| | Cannulated Drill | 6.0 mm | 909909 |
| | Cannulated Drill | 6.5 mm | 909910 |
| | Cannulated Drill | 7.0 mm | 909911 |
| Medium Drills | | | |
| J | Cannulated Drill | 7.5 mm | 909912 |
| | Cannulated Drill | 8.0 mm | 909913 |
| | Cannulated Drill | 8.5 mm | 909914 |
| | Cannulated Drill | 9.0 mm | 909915 |
| | Cannulated Drill | 9.5 mm | 909916 |
| | Cannulated Drill | 10.0 mm | 909917 |
| Large Drills | | | |
| K | Cannulated Drill | 11.0 mm | 909919 |
| | Cannulated Drill | 12.0 mm | 909921 |
| | Cannulated Drill | 13.0 mm | 909923 |
| | Dilator | 7.0 mm | 907770 |
| | Dilator | 7.5 mm | 907775 |
| | Dilator | 8.0 mm | 907780 |
| | Dilator | 8.5 mm | 907785 |
| | Dilator | 9.0 mm | 907790 |
| | Dilator | 9.5 mm | 907795 |
| | Dilator | 10.0 mm | 907800 |
| | Dilator | 10.5 mm | 907805 |
| | Dilator | 11.0 mm | 907810 |

Note: The cannulated drills can be mixed and matched with the corresponding dilators within sections I, J, and K. There are a total of 23 instruments, but only 13 locations available for placement within the case. This can be personalized per surgeon need.



Components of the Medial Portal Precision Curved Aimer Caddy-Option 1

| Size | Part Number |
|------------|---|
| _ | 110016872 |
| 5-6.0 mm | 110010621 |
| 7–8.0 mm | 110004074 |
| 9–10.0 mm | 110004075 |
| 11–12.0 mm | 110004076 |
| Universal | 110004080 |
| _ | 110004073 |
| 5-6.0 mm | 110010622 |
| 7–8.0 mm | 110004077 |
| 9–10.0 mm | 110004078 |
| 11-12.0 mm | 110004079 |
| Universal | 110004081 |
| | - 5-6.0 mm 7-8.0 mm 9-10.0 mm 11-12.0 mm Universal - 5-6.0 mm 7-8.0 mm 9-10.0 mm |



Components of the Outside-In SwitchCut $^{\text{\tiny{IM}}}$ Caddy-Option 2

| Description | Size | Part Number |
|-----------------------------------|-----------|--------------------|
| SwitchCut Caddy | _ | 110026911 |
| Switchcut Universal Guide Body | _ | 110026899 |
| Switchcut Femoral Guide Arm Right | _ | 110026900 |
| Switchcut Femoral Guide Arm Left | _ | 110026901 |
| Switchcut Tibial Guide To Point | _ | 110026903 |
| Switchcut Guide Bullet | ID 4.5 mm | 110026898 |
| Switchcut Guide Bullet | ID 6.0 mm | 110026902 |
| SwitchCut Drill Sleeve | 2.4 mm | 110026904 |



Components of the Rigid Aimer Caddy-Option 3

| Description | Size | Part Number |
|---------------------------|---------|--------------------|
| Rigid Aimer Caddy | _ | 110016874 |
| Transtibial Femoral Aimer | 7.0 mm | 909627 |
| Transtibial Femoral Aimer | 8.0 mm | 909628 |
| Transtibial Femoral Aimer | 9.0 mm | 909629 |
| Transtibial Femoral Aimer | 10.0 mm | 909630 |
| Transtibial Femoral Aimer | 11.0 mm | 909631 |
| Transtibial Femoral Aimer | 12.0 mm | 909632 |
| Transtibial Femoral Aimer | 13.0 mm | 909633 |
| Medial Femoral Aimer | 6.0 mm | 909590 |
| Medial Femoral Aimer | 7.0 mm | 909591 |
| Medial Femoral Aimer | 8.0 mm | 909592 |
| Medial Femoral Aimer | 9.0 mm | 909593 |
| Medial Femoral Aimer | 10.0 mm | 909594 |
| Medial Femoral Aimer | 11.0 mm | 909595 |
| Medial Femoral Aimer | 12.0 mm | 909596 |
| Handle | _ | 909623 |
| Ring Nuts | _ | 909627-03 |

Note: This is one of the four caddies available to fit within the Targeting Drill Case. All four caddies can be mixed and matched depending upon surgeon preference for preparing the tunnel, but only two caddies can fit at one time within the case.

Note: Within the Rigid Aimer Caddy, there are a total of seven spaces available for the femoral aimers.



Components of the Rigid Reamer Caddy-Option 4

| Description | Size | Part Number |
|------------------------------|---------|-------------|
| Rigid Reamer Caddy | _ | 110016873 |
| ToggleLoc [™] Drill | 4.5 mm | 904765 |
| Acorn Femoral Reamer | 5.0 mm | 909607* |
| Acorn Femoral Reamer | 5.5 mm | 909608* |
| Acorn Femoral Reamer | 6.0 mm | 909605 |
| Acorn Femoral Reamer | 6.5 mm | 909606 |
| Acorn Femoral Reamer | 7.0 mm | 909617 |
| Acorn Femoral Reamer | 7.5 mm | 909624 |
| Acorn Femoral Reamer | 8.0 mm | 909618 |
| Acorn Femoral Reamer | 8.5 mm | 909625 |
| Acorn Femoral Reamer | 9.0 mm | 909619 |
| Acorn Femoral Reamer | 9.5 mm | 909626 |
| Acorn Femoral Reamer | 10.0 mm | 909620 |
| Acorn Femoral Reamer | 11.0 mm | 909621 |
| Low Profile Femoral Reamer | 7.0 mm | 906570 |
| Low Profile Femoral Reamer | 7.5 mm | 906571 |
| Low Profile Femoral Reamer | 8.0 mm | 906572 |
| Low Profile Femoral Reamer | 8.5 mm | 906573 |
| Low Profile Femoral Reamer | 9.0 mm | 906574 |
| Low Profile Femoral Reamer | 9.5 mm | 906575 |
| Low Profile Femoral Reamer | 10.0 mm | 906576 |
| Low Profile Femoral Reamer | 10.5 mm | 906577 |

Note: This is one of the four caddies available to fit within the Targeting Drill Case. All four caddies can be mixed and matched depending upon surgeon preference for preparing the tunnel, but only two caddies can fit at one time within the case.

Note: Within the Rigid Aimer Caddy, there are a total of sixteen spaces available for the femoral reamers.



Implant Preparation Case


The design of this case

was to meet to the modern demands of implant preparation for an ACL Reconstruction. This streamlined case contains all the reusable instruments for implanting any of Zimmer Biomet Sports Medicine's femoral or tibial fixation devices. This case includes the instruments a surgeon may require for harvesting and sizing graft, notch preparation, and graft passing.

In addition to the Implant Preparation Case, there are two separate trays to personalize the case dependent upon surgical technique preference. The Interference Screw Tray contains instrumentation designed for interference screw implantation. The second tray, known as the WasherLoc™ Tray, contains instrumentation designed for our WasherLoc Tibial fixation device. The beauty of the case/tray design is the ability to interchange the two trays depending upon facility or surgeon requirements for femoral or tibial implants for an ACL Reconstruction.



Implant Preparation Case



Components of the Implant Preparation Case

| Labels | Description | Part Number |
|--------|--|-------------|
| _ | Implant Preparation Case | 110016870 |
| Α | Super MaxCutter [™] Suture Cutter | 900342 |
| В | Graft Sizing Block | 110010813 |
| С | ToggleLoc Depth Gauge | 904766 |
| D | Osteotome | 909871 |
| E | Rasp | 909791 |
| F | Curette | 906988 |
| G | Closed Tendon Stripper | 909990 |
| Н | Open Tendon Stripper | 909992 |
| I | Super MaxCutter™ Suture Retriever | 910078 |
| J | K-Wire | 909827 |
| K | 3/32" Guide Pin | 909640 |


Implant Preparation Case (cont.)



Components of the Interference Screw Tray

| Labels | Description | Size | Part Number |
|--------|------------------------------------|-----------|-------------|
| _ | Interference Screw Tray | _ | 110016875 |
| Α | ComposiTCP [™] Driver | 7-8.0 mm | 110004607 |
| В | ComposiTCP Driver | 9-11.0 mm | 905274 |
| С | Modular Easy Out | 2.5 mm | 909734 |
| D | Gentle Threads [™] Driver | _ | 905656 |
| E | Gentle Threads Tunnel Dilator | _ | 110028400 |
| F | ComposiTCP Tap | 7-8.0 mm | 110004597 |
| G | ComposiTCP Tap | 9-11.0 mm | 905278 |
| Н | Gentle Threads Revision Driver | _ | 905650 |
| I | Gentle Threads Notcher | _ | 905652 |
| J | Ratchet Handle | _ | 110017410 |
| K | Cannulated Hex Driver | 3.5 mm | 906846 |
| L | Cannulated Hex Driver | 2.5 mm | 906845 |

Implant Preparation Case (cont.)



Components of the WasherLoc Tray

| Labels | Description | Size | Part Number |
|--------|-----------------------|--------|--------------------|
| _ | WasherLoc Tray | _ | 110016876 |
| Α | Plunger | 8.0 mm | 900723 |
| В | Collet | 8.0 mm | 900718 |
| С | Dilator | 8.0 mm | 900743 |
| D | Bone Dowel Handle | _ | 900716 |
| E | WasherLoc Depth Gauge | _ | 908433 |
| F | WasherLoc Drill Guide | _ | 908437 |
| G | WasherLoc Awl | _ | 908439 |
| Н | WasherLoc Awl Guide | _ | 908426 |
| I | WasherLoc Countersink | _ | 908427 |
| J | Hex Driver | 3.5 mm | 904307 |

All content herein is protected by copyright, trademarks and other intellectual property rights, as applicable, owned by or licensed to Zimmer Biomet or its affiliates unless otherwise indicated, and must not be redistributed, duplicated or disclosed, in whole or in part, without the express written consent of Zimmer Biomet.

This material is intended for health care professionals and authorized representatives.

For product information, including indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert and www.zimmerbiomet.com.

Check for country product clearances and reference product specific instructions for use.

T.A.G. Medical Products is the manufacturer of the SwitchCut instrumentation and Zimmer Biomet Sports Medicine is the distributor. Zimmer Biomet Sports Medicine is the manufacturer of the SwitchCut Caddy (110026911).

Science for Biomaterials (SBM) is the manufacturer of the 7-8 mm (110004607) & 9-11 mm (905274) ComposiTCP Drivers. Zimmer Biomet Sports Medicine is the distributor.

Tecomet is the manufacturer of the Super MaxCutter Suture Grasper (910078). Zimmer Biomet Sports Medicine is the distributor.

©2018 Zimmer Biomet



Authorized Representative

Biomet UK Ltd.
Waterton Industrial Estate
Bridgend, South Wales
CF31 3XA



Legal Manufacturer

Biomet Sports Medicine P.O. Box 587 56 E. Bell Drive Warsaw, Indiana 46581-0587 USA

www.zimmerbiomet.com



CE mark on a surgical technique is not valid unless there is a CE mark on the product label.



0439.1-GLBL-en-REV0818